



Battery Watering Technologies

Innovative Valve Design

Safety and labor savings are of the utmost importance to Battery Watering Technologies. Our valves are manufactured with the highest quality materials that keep all working parts above the battery cell.

Indicator Eye

Visible from the top and side - Confirms proper operation of valves.

Ultrasonic Welded Lid

The welding fuses the lid to the valve body improving the structural strength of the valve.

Clip-in Base

Installation is fast and easy - No twisting to lock in place.

Low Profile Design

Drastically reduces the risk of damage from battery cables.

Encapsulated Float

Reinforced encapsulation protects the float and eliminates interference with the moss shield.

Solid One Piece Float

Acid, temperature and impact resistant - Solid construction cannot absorb water.



Tubing Barbs


Eliminates the need for clamps and angled to make installation easy in tight configurations.

Internal Spark Arrestor

Multiple safety features that include our internal spark arrestor, makes our valve the safest on the market.

z-Lock

The z-Lock feature integrates the tee piece with the valve for added durability.



Widest Pressure Range

The valves operate with pressure from 3-35 PSI using our filling devices. House static pressure should never be more than 90 PSI. If needed, a variety of pressure regulators are available to lower pressure.

Fully Assembled Kits

Installs in seconds.



6645 Holder Road · Clemmons, NC 27012 | P: 336-714-0448 · F: 336-714-0449 · T: 877-522-5431 | www.batterywatering.com

Faster. Safer. Better.

Commercial Valve 0320